



LXDD-950

重型单轴端面铣床 Heavy-duty Single Shaft End Milling Machine

[性能特点]

- 适用于铝门窗大截面中框型材的端面铣削加工。
- 35°~90° 端面任意角度铣削。
- 工件进给上下可调，调刀方便。
- 刀具安装在高刚度的主轴上，运转连续稳定，不影响刀具的工作精度。
- 刀具进给采用直线导轨驱动，工作性能稳定。
- 进给系统采用气压驱动，切削进给平稳均匀，切削精度和表面质量好。

[Product Features]

- Used for processing large section gable of aluminum doors.
- 35°~90° arbitrary angle milling.
- Adjustable turn of workpiece and convenient for tool change.
- Cutting tool is installed on the high precision spindle; the running, cessation of the motor does not affect the work accuracy.
- The cutter feeds linearly and the workpiece position is stable.
- Feeding system is driven by air hydrodynamic cylinder. Cutting smoothly and reliable, cutting precision and surface quality is perfect.

④ 技术参数 Technical Parameters

| | | |
|-----------|----------------------------|--------------------------|
| 电源 | Power supply | 380V 5/Hz |
| 电机功率/电机转速 | Motor power/motor speed | 4.5kW/2000~4000 |
| 气源工作压力 | Operation air pressure | 0.5~0.8Mpa |
| 主轴行程 | Main shaft feed stroke | ±52mm |
| 主轴进给行程 | Spindle box feeding stroke | 0~400mm |
| 最大可装刀直径 | Max mill diameter | 50mm |
| 工作尺寸 | Workable dimension | 50mm |
| 工作行程限制 | Workable limit stroke | ±52mm |
| 外形尺寸 | Contour dimension | 1280mm × 1280mm × 1220mm |
| 重量 | Weight | 250kg |